

### CLAIM LISTING

1. (Cancel)
2. (Cancel)
3. (Cancel)
4. (Cancel)
5. (Cancel)
6. (Currently Amended) [The apparatus of Claim 5] A mounting apparatus capable of noninvasive installation on a wet or dry, strong, flat, smooth and clean surface for grasping a vertical pole type member with a shade producing or sports or recreation oriented device at its top, said apparatus comprising:
  - (a) at least one lever handle activated strong suction cup member;
  - (b) a receptacle unit comprising a top end, wherein the top end includes a compression fitting adapted to receive and secure said vertical pole type member; and
  - (c) a means for connecting the suction cup member to the receptacle unit, wherein the means for connecting the suction cup member to the receptacle unit of a includes a tooth member on the suction cup member and an internal ell shaped groove in the receptacle unit whereby the tooth member passes through the ell shaped groove, wherein the at least one lever handle on [each] the suction cup member is at least partially hidden inside [said] the suction cup member when suction force is activated.
7. (Currently Amended) The mounting apparatus of Claim 6 wherein the at least one lever handle on [each] the suction cup member is controlled by movement of a key type device inserted in a slot in the at least one lever handle.

8. (Cancel)

9. (New) A detachable swimming pool shade comprising:

(a) a mounting apparatus comprising at least one lever handle activated strong suction cup member;

(b) an umbrella adapted to produce shade, said umbrella having an umbrella pole; and

(c) a receptacle unit attached to the mounting apparatus, wherein the receptacle unit is adapted to receive the umbrella pole.

10. (New) The detachable swimming pool shade of claim 9, further comprising a second mounting apparatus comprising at least one lever handle activated strong suction cup member.

11. (New) The detachable swimming pool shade of claim 10, further comprising more than two mounting apparatuses, wherein each mounting apparatus comprises at least one lever handle activated strong suction cup member.

12. (New) The detachable swimming pool shade of claim 9, wherein the mounting apparatus and the receptacle unit are oriented such that the pole member is perpendicular to a suction pad on the suction cup member.

13. (New) The detachable swimming pool shade of claim 9, wherein the mounting apparatus and the receptacle unit are oriented such that the pole member is parallel to a suction pad on the suction cup member.

14. (New) A detachable mounting system for use with sporting equipment, comprising:

(a) a mounting apparatus comprising at least one lever handle activated strong suction cup member;

(b) a pole member having a top end;

(c) a sporting equipment component attached to the top end of the pole member; and

(d) a receptacle unit attached to the mounting apparatus, wherein the receptacle unit is adapted to receive the pole member.

15. (New) The detachable mounting system of claim 14, wherein the sporting equipment component comprises an umbrella for producing shade.

16. (New) The detachable mounting system of claim 14, wherein the sporting equipment component is a volleyball net.

17. (New) The detachable mounting system of claim 14, wherein the sporting equipment component is a banner.

18. (New) The detachable mounting system of claim 14, wherein the sporting equipment component is a flag.

19. (New) The detachable mounting system of claim 14, further comprising a second mounting apparatus comprising at least one lever handle activated strong suction cup member, wherein the second mounting apparatus is attached to the receptacle unit.

20. (New) The detachable mounting system of claim 19, further comprising more than two mounting apparatuses, wherein each mounting apparatus comprises at least one lever handle activated strong suction cup member and wherein each mounting apparatus is attached to the receptacle unit.

21. (New) The detachable mounting system of claim 14, wherein the receptacle unit is detachably attached to the mounting apparatus.

22. (New) The detachable mounting system of claim 21, further comprising a tooth member on the suction cup member and an internal ell shaped groove in the receptacle unit whereby the tooth member passes through the ell shaped groove.

23. (New) The detachable mounting system of claim 14, further comprising:

(a) a second mounting apparatus comprising at least one lever handle activated strong suction cup member;

(b) a second pole member having a top end, wherein the sporting equipment component is further attached to the top end of the second pole member; and

(c) a second receptacle unit attached to the second mounting apparatus, wherein the second receptacle unit is adapted to receive the second pole member.

24. (New) The detachable mounting system of claim 23, wherein the mounting apparatus and the second mounting apparatus each further comprise a plurality of lever handle activated strong suction cup members.

25. (New) The detachable mounting system of claim 14, wherein the mounting apparatus and the receptacle unit are oriented such that the pole member is perpendicular to a suction pad on the suction cup member.

26. (New) The detachable mounting system of claim 14, wherein the mounting apparatus and the receptacle unit are oriented such that the pole member is parallel to a suction pad on the suction cup member.